

LISTING OF CLAIMS

1
2 1. (Currently Amended) At least one computer-readable medium having
3 computer executable instructions that provide a framework for automating
4 administrative tasks, the framework comprising:

5 a parser component configured to parse input and to identify at least one
6 cmdlet based on the input; and

7 an engine component configured to populate a parameter associated with
8 the cmdlet using information from an input source, and to execute the cmdlet to
9 generate a precisely parseable stream, wherein the input source comprises the
10 precisely parseable stream emitted from another cmdlet and wherein the precisely
11 parseable stream comprises at least one live object.

12 2. (Original) The computer-readable medium of claim 1, further
13 comprising a host component configured to supply the input about at least one
14 command.

15 3. (Original) The computer-readable medium of claim 2, wherein the
16 host component supplies the input directly to the parser component.

17 4. (Original) The computer-readable medium of claim 2, wherein the
18 host component supplies the input using a host cmdlet that is processed as one of
19 the cmdlets within the engine component.
20
21
22
23
24
25

1 5. (Original) The computer-readable medium of claim 1, wherein the
2 cmdlet includes a base cmdlet that provides a common utility that operates on a
3 plurality of data types.

4 6. (Original) The computer-readable medium of claim 1, wherein the
5 cmdlet includes a host cmdlet that provides a system utility.

6 7. (Original) The computer-readable medium of claim 1, wherein the
7 parameter being associated with the cmdlet comprises a parameter declaration for
8 the parameter within the cmdlet.

9 8. (Original) The computer-readable medium of claim 1, wherein the
10 parameter being associated with the cmdlet comprises a reference to an external
11 source defining the parameter.

12 9. (Original) The computer-readable medium of claim 1, wherein the
13 cmdlet includes a provider cmdlet that provides functionality associated with an
14 application.
15
16
17
18
19
20
21
22
23
24
25

1 10. (Currently Amended) At least one computer-readable medium
2 containing instructions that perform the following when executed by one or more
3 computers:

4 receiving input;

5 associating a cmdlet with the input, the cmdlet identifying at least one
6 expected input parameter;

7 for each expected input parameter that specifies obtaining data from the
8 input, populating the expected input parameter with data from the input; and

9 for each expected input parameter that specifies obtaining information from
10 an input stream to the cmdlet, populating the expected input parameter with the
11 information, executing the cmdlet to generate an object stream based on the
12 information and the data, and emitting the object stream, wherein the input stream
13 comprises the object stream emitted by another cmdlet and wherein the object
14 stream comprises at least one live object.

1 **11.** (Original) The computer-readable medium of claim 10, wherein the
2 input object comprises a .NET object, an XML document, or an Active Directory
3 Object.

4 **12.** (Original) The computer-readable medium of claim 10, wherein the
5 cmdlet and the other cmdlet operate in a same process.

6 **13.** (Original) The computer-readable medium of claim 10, wherein the
7 cmdlet operates in a local process and the other cmdlet operates in a remote
8 process.

9 **14.** (Original) The computer-readable medium of claim 10, wherein the
10 input comprises a string.

11 **15.** (Original) The computer-readable medium of claim 10, wherein the
12 input comprises a script.

1 **16.** (Currently Amended) A system that provides an administrative tool
2 framework for automating administrative tasks, comprising:

3 a processor; and

4 a memory, the memory being allocated for a plurality of computer-
5 executable instructions which are loaded into the memory for execution by the
6 processor, the computer-executable instructions providing a method for
7 automating administrative tasks, the method comprising:

8 receiving ~~receive~~-input about at least one command;

9 parsing the input to ~~identify~~ one cmdlet

10 populating a parameter defined within the cmdlet with information from an
11 input source;

12 executing the cmdlet to generate an object stream; and

13 outputting the object stream, wherein the object stream comprises at least
14 one live object.

15 **17.** (Original) The system of claim 16, wherein the input source
16 comprises the object stream generated by another cmdlet.

1 **18.** (Currently Amended) An administrative framework configured to
2 operate on a computing device, the administrative framework comprising:

3 a means for receiving input;

4 a means for parsing the input into at least one cmdlet, the cmdlet providing
5 a means for describing at least one expected input parameter associated with an
6 input source;

7 a means for populating each expected input parameter; and

8 a means for processing the cmdlet in a manner such that the input source
9 comprises an output stream generated by another cmdlet, wherein the output
10 stream comprises at least one live object.

11 **19.** (Original) The administrative framework of claim 18, wherein the
12 one cmdlet and the other cmdlet execute within a same process.

13 **20.** (Original) The administrative framework of claim 18, wherein the
14 object stream comprises .NET objects.

15 **21.** (Original) The administrative framework of claim 18, wherein
16 processing the cmdlet includes populating at least one expected input property with
17 information obtained from the object stream.

18 **22.** (Original) The administrative framework of claim 18, wherein the at
19 least one cmdlets includes a base cmdlet provided by the administrative
20 framework.

21 **23.** (Original) The administrative framework of claim 18, wherein the at
22 least one cmdlets includes a third party cmdlet provided by a third party developer.

23 **24.** (Original) The administrative framework of claim 18, further
24 providing a means for accessing the cmdlet on a remote computing device.
25

1 **25.** (Currently Amended) A computer readable medium containing
2 instructions that perform the following when executed by a computer:

3 accepting user input;

4 converting user input to a input format recognized by an administrative tool
5 framework; and

6 forwarding the input format to the administrative tool framework, the
7 administrative tool framework configured to:

8 parse the input format;

9 instantiate a cmdlet based on the input, the cmdlet specifying an expected
10 input parameter; and

11 populating the expected input parameter from an input source, the input
12 source comprising at least one live object.

1 **26.** (Original) The computer readable medium of claim 25, wherein the
2 input source comprises the input format.

3 **27.** (Original) The computer readable medium of claim 25, wherein the
4 input source comprises an input stream emitted from another cmdlet.

5 **28.** (Original) The computer readable medium of claim 25, further
6 comprising providing a host cmdlet that provides an interface between a host
7 application and the administrative tool framework.

8 **29.** (Original) The computer readable medium of claim 25, wherein the
9 user input comprises voice input.

10 **30.** (Original) The computer readable medium of claim 25, wherein the
11 user input comprises a command string entered on a command line.

12 **31.** (New) The computer-readable medium of claim 1, wherein a method
13 associated with the live object is directly invoked during execution of the cmdlet.
14
15
16
17
18
19
20
21
22
23
24
25